

## SHIMANO ACERA

A performance-packed group at an amazingly low cost.

**Shimano Digital Shifting** Gear changing that's so precise it feels digital

**EZ-Fire Plus** Easy, low-effort shifting for both derailleurs

**Optical Gear Display** Instant gear position verification

**Advanced Light Action** Low-friction derailleurs

**Rear SIS** Indexed shifting for rear derailleur

**HG Sprockets** Smoother and faster rear shifting.

**Dual SIS** Precise indexed shifting front and rear

**Top-Swing Front Derailleur** Reduced front shifting effort.

**HyperDrive-C** Reduced weight from smaller sprockets and chainrings

**Cartridge Bottom Bracket** Easy installation without adjustment.

**M-System** Dependable all weather braking

**Parallax Hubs** Oversized hub design for stronger wheels

• FC-M291 crankset is available with chainguards.

ACERA-X specifications are listed on page 45.



Entry Level Cyclist

# SHIMANO ALTUS


Real mountain bike performance  
for the entry-level MTB-style bicy-  
cle.

Shimano Digital  
Shifting

Digital  
display

Rapidfire Shift  
Technology

Optical Gear Display  
Technology



**Shimano Digital  
Shifting** Gear changing  
that's so precise it feels  
digital



**EZ-Fire Plus**  
Easy, low-effort shifting for  
both derailleurs.



**Optical Gear Display**  
Instant gear position  
verification



**Advanced Light Action**  
Low-friction derailleurs



**Rear SIS** Indexed shifting  
for rear derailleur



**HG Sprockets** Smoother  
and faster rear shifting



**Dual SIS** Precise indexed  
shifting front and rear



**Top-Swing Front  
Derailleur** Reduced front  
shifting effort



**Easy-Set Front  
Derailleur** Bottom bracket  
mounting plate sets  
derailleur position




**HyperDrive-C** Reduced  
weight from smaller  
sprockets and chainrings



**Cartridge  
Bottom Bracket** Easy  
installation without  
adjustment




**Parallax Hubs** Oversized  
hub design for stronger  
wheels.



ALTUS specifications are listed on  
page 45.

● FC-CT92 and FC-CT92 cranksets are available with chainguards.

SP-M650



SM-SP18

BB-UN52



Brake  
Cable  
(T-Type)



FC-M569  
4arm

BL-M600



ST-M567




FH-R080



CN-IG70







FH-R050



BB-LP26




ST-MC15-C



FH-MC12



SM-SP18




HB-MC12



BR-MC12



FC-MC16



CS-IG50



BL-MC16



SL-MC37




CN-IG51




Brake Cable  
(T-Type)



RD-MC16



BR-MC16



FD-MC14-B





Intermediate  
Recreational Cyclist

## SHIMANO STX

An all-purpose MTB group offering the optimum balance of quality, performance, and value.



**Shimano Digital Shifting** Gear changing that's so precise it feels digital.



**Rapidfire SL** Low-effort short-stroke action.



**Optical Gear Display** Instant gear position verification.




**Advanced Light Action** Low-friction derailleurs



**Rear SIS** Indexed shifting for rear derailleur.



**IG Drivetrain** Provides the best SIS shifting ever.



**Roller Clutch Freehub** Engages quicker, eliminates freewheel noise.



**Dual SIS** Precise indexed shifting front and rear



**Top-Swing Front Derailleur** Reduced front shifting effort.



**Easy-Set Front Derailleur** Bottom bracket mounting plate sets derailleur position.



**HyperDrive-C** Reduced weight from smaller sprockets and chainrings.



**Cartridge Bottom Bracket** Easy installation without adjustment.




**Anti-Vibration M-System** All weather braking without the brake squeal.



**Aluminum QR** Reduces weight. Eliminates corrosion.



**Parallax hub** Oversized hub design for stronger wheels.



STX specifications are listed on page 44.

- FC-MC34 and FC-MC34-B cranksets are available with chainguard.
- Brazed on seat tube boss or clamp adaptor required (FD-MC34-E).




Entry Level Cyclist

## TY15-SERIES



## TY05-SERIES



# SHIMANO TOURNEY

New 7-speed systems for  
Tourney 22 and 30.



**EZ-Fire Plus** Easy, low-effort shifting for both derailleurs.\*



**Optical Gear Display** Instant gear position verification.



**Advanced Light Action** Low-friction derailleurs.\*\*



**Rear SIS** Indexed shifting for rear derailleur.\*\*\*



**HG Sprockets** Smoother and faster rear shifting.\*\*



**Dual SIS** Precise indexed shifting front and rear.\*



**Top-Swing Front Derailleur** Reduced front shifting effort.\*\*\*



**Cartridge Bottom Bracket** Easy installation without adjustment.



**M-system Brakes** Dependable all weather braking.\*



**Parallax Hubs** Oversized hub design for stronger wheels.\*

\*TY-30 series only

\*\*TY-22/30 series only

\*\*\*TY-22 series only

\*\*\*\*TY-15/22/30 series only

Series	Cantilever Brake	Crankset	Freewheel
Tourney30			<b>MF-HG37</b> <ul style="list-style-type: none"> <li>• 7-speed HG Sprockets</li> <li>• ax-group(14-16-18-20-22-24-28T)</li> </ul> <b>MF-HG22</b> <ul style="list-style-type: none"> <li>• 6-speed HG Sprockets</li> <li>• Sprocket Combinations :</li> <li>X-group (14-16-18-20-22-24T)</li> <li>Y-group (14-16-18-21-24-28T)</li> <li>Z-group (14-17-20-24-28-32T)</li> </ul>
Tourney22	BR-TY23/BR-TY22 • M-System Compatible	<b>FC-TY21/FC-TS21</b> <ul style="list-style-type: none"> <li>• Dual SIS Compatible</li> <li>• Plastic Spider Cover</li> <li>• Integral Chain Guard</li> <li>• 48-38-28T Chainrings</li> </ul>	<b>MF-HG22</b> <ul style="list-style-type: none"> <li>• 6-speed HG Sprockets</li> <li>• Sprocket Combinations :</li> <li>X-group (14-16-18-20-22-24T)</li> <li>Y-group (14-16-18-21-24-28T)</li> <li>Z-group (14-17-20-24-28-32T)</li> </ul>
Tourney15		<b>BB-CS12</b> <ul style="list-style-type: none"> <li>• Marking : D-NL 122.5mm D-EL 127.5mm</li> <li>• Chain Line : 47.5mm</li> <li>• Shell Width : 68/70/73mm (D-NL) 68/73mm (D-EL)</li> </ul>	<b>MF-Z015</b> <ul style="list-style-type: none"> <li>• 5-speed UG Sprockets</li> <li>• Sprocket Combinations : Two Groups Available (14-17-19-21-24T/14-17-20-24-28T)</li> </ul>
Tourney05			<b>MF-Y006</b> <ul style="list-style-type: none"> <li>• 6-speed UG Sprockets</li> <li>• Sprocket Combination : 14-15-17-20-24-28T</li> </ul>

## TY30-SERIES



## TY22-SERIES



Series	Rear Derailleur	Front Derailleur	Shift Lever
Tourney30	RD-TY30-7/RD-TY30 <ul style="list-style-type: none"> <li>• 7-speed SIS/6-speed SIS</li> <li>• Max. Sprocket : 28T</li> <li>• Min. Sprocket : 14T</li> <li>• Total Capacity : 34T</li> <li>• Front Difference : 20T</li> </ul>	FD-TY30 <ul style="list-style-type: none"> <li>• For Triple Chainrings</li> <li>• 22T Capacity</li> <li>• 48T Large Chainring</li> </ul>	ST-EF20/ST-EF25 <ul style="list-style-type: none"> <li>• See page 45</li> </ul> SL-TY37 <ul style="list-style-type: none"> <li>• Rear 7-speed, Front 3-speed SIS</li> </ul> SL-TY31 <ul style="list-style-type: none"> <li>• Rear 6-speed, Front 3-speed SIS</li> </ul>
Tourney22	RD-TY22-7/RD-TY22-GS/RD-TY22-SS <ul style="list-style-type: none"> <li>• 7-speed SIS/6-speed SIS(GS &amp; SS)</li> <li>• Max. Sprocket : 28T</li> <li>• Min. Sprocket : 14T</li> <li>• Total Capacity : 34T(GS)/28T(SS)</li> <li>• Front Difference : 20T(GS)/13T(SS)</li> </ul>	FD-TY22-GS/FD-TY22-SS <ul style="list-style-type: none"> <li>• For Triple Chainrings(FD-TY22-GS)</li> <li>• For Double Chainrings(FD-TY22-SS)</li> <li>• 22T Capacity(FD-TY22-GS)</li> <li>• 14T Capacity(FD-TY22-SS)</li> <li>• 48T Large Chainring</li> </ul>	SL-TY37-R/SL-TY30-L <ul style="list-style-type: none"> <li>• Rear 7-speed, Front 3-speed SIS</li> </ul> SL-TY22 <ul style="list-style-type: none"> <li>• Rear 6-speed SIS, Front Friction</li> </ul>
Tourney15	RD-TY15-GS/RD-TY15-SS <ul style="list-style-type: none"> <li>• 5-speed SIS</li> <li>• Max. Sprocket : 28T</li> <li>• Min. Sprocket : 14T</li> <li>• Total Capacity : 34T(GS)/28T(SS)</li> <li>• Front Difference : 20T(GS)/13T(SS)</li> </ul>	FD-TY15-GS/FD-TY15-SS <ul style="list-style-type: none"> <li>• For Triple Chainrings(FD-TY15-GS)</li> <li>• For Double Chainrings(FD-TY15-SS)</li> <li>• 22T Capacity(FD-TY15-GS)</li> <li>• 14T Capacity(FD-TY15-SS)</li> <li>• 48T Large Chainring</li> </ul>	SL-TY15 <ul style="list-style-type: none"> <li>• Rear 5-speed SIS, Front Friction</li> </ul>
Tourney05	RD-TY05 <ul style="list-style-type: none"> <li>• 6-speed</li> <li>• Max. Sprocket : 28T</li> <li>• Min. Sprocket : 14T</li> <li>• Total Capacity : 34T</li> <li>• Front Difference : 20T</li> </ul>	FD-TY05 <ul style="list-style-type: none"> <li>• For Triple Chainrings</li> <li>• 22T Capacity(FD-TY15-GS)</li> </ul>	SL-TY05 <ul style="list-style-type: none"> <li>• Friction</li> </ul>

