




SHIMANO ACERA X

Advanced Shimano functions plus shifting options make Acera-X a value-packed performer.



Shimano Digital Shifting

Gear changing that's so precise it feels digital



EZ-Fire Plus

Easy shifting with fingers on brake lever.



Optical Gear Display

At-a-glance gear position indication.



Advanced Light Action

Lighter and more precise shifting action



HG Sprockets

Faster, smoother rear derailleur shifting



Dual SIS

Precision indexed front and rear gear shifting



Top Swing Front Derailleur

Compact low-friction design for easier chainwheel shifting



HyperDrive-C

Compact drive train reduces weight and increases ground clearance



Cartridge Bottom Bracket

One-piece cassette bearing design for fast and easy installation



M-System

Dependable all-weather braking



Parallax Hub


Oversized hub body and heavy-duty spoke flanges for off-road durability



V-Brake Modulator

Power application control prevents inadvertent lock-up

ST-EF28 for use with V-brakes with or without power modulator.




See page 44-45 for Acera-X specifications.

● FC-M291 crankset available with chain guard



SHIMANO Altus

The "go anywhere" group for all types of sport, recreational, and utility bicycles.



Shimano Digital Shifting
Gear changing that's so precise it feels digital.



EZ-Fire Plus Easy shifting with fingers on brake lever.



Optical Gear Display
At-a-glance gear position indication.



Advanced Light Action
Lighter and more precise shifting action.



HG Sprockets
Faster, smoother rear derailleur shifting.



Dual SIS Precision indexed front and rear gear shifting.



Top Swing Front Derailleur Compact low-friction design for easier chainwheel shifting.



Easy-Set Front Derailleur
Mounts to bottom bracket for perfect alignment without adjustment.



HyperDrive-C Compact drive train reduces weight and increases ground clearance.




Cartridge Bottom Bracket
One-piece cassette bearing design for fast and easy installation.




Parallax Hub Oversized hub body and heavy-duty spoke flanges for off-road durability.


FH-RM40



FD-CT92




HB-RM40



FC-CT92



BB-CT91



FH-CT91



BR-CT91



CN-HG50



RD-CT92



CS-HG30-7



Brake Cable (T-Type)

ST-EF20




ST-EF25



See page 44-45 for Altus specifications.

FH-R080



FH-M565



BB-UN52



HB-M563




Brake Cable (T-Type)



HP-M563



FD-M567




FC-M569-5arm



FC-M569




CS-HG70-1



BL-M601



BR-M600




SL-M569



RD-M567




FH-M737



BB-UN72



HP-M741



HB-M737



FD-M739



CN-IG90



FC-M739



FC-M739-5arm



CS-M737-1



BR-M739



SL-M740



Brake Cable (W-Type)



ST-M739



RD-M739-SGS



**Alivio isn't all performance.
Its sleek high-tech look
enhances the appearance and
value of any bike.**



Rapidfire Plus Intuitive push-pull shifting without compromising your grip.



Rapidfire SL Compact short-stroke Rapidfire shifting.



Shimano Digital Shifting Gear changing that's so precise it feels digital.



Optical Gear Display At-a-glance gear position indication.



Advanced Light Action Lighter and more precise shifting action.



Shimano IG Integrated drive train design for smoother shifting.



Roller Clutch Freehub Durable cam-and-roller clutch engages faster and freewheels silently.



EZ-Fire Plus Easy shifting with fingers on brake lever.



Dual SIS Precision indexed front and rear gear shifting.



Top Swing Front Derailleur Compact low-friction design for easier chainwheel shifting.



HyperDrive-C Compact drive train reduces weight and increases ground clearance.



Cartridge Bottom Bracket One-piece cassette bearing design for fast and easy installation.



Anti-Vibration M-System Quiet all-weather braking performance.



Light Alloy Quick Release Reduces weight and resists corrosion.




Parallax Hub Oversizes hub body and heavy-duty spoke flanges for off-road durability.

ALIVIO

See page 44-45 for ALIVIO specifications.

FH-R080



FH-MC38



BB-UN52




HB-MC33




SHIMANO M SYSTEM II

SHIMANO M SYSTEM II

Brake Cable (T-Type)




BL-MC40



FD-MC36

CS-HG60-I



SL-MC41




FC-MC40



RD-MC38



HP-MC30



BR-MC40



PD-M323



Intermediate
Recreational Cyclist

SHIMANO STX

STX offers race-bred performance and high-end appearance at remarkably reasonable price.

STX



V-Brake Awesome V-Brake performance for mid-level MTBs



Shimano Digital Shifting

Gear changing that's so precise it feels digital



Rapidfire SL Compact short-stroke Rapidfire shifting.



Optical Gear Display

At-a-glance gear position indication



Advanced Light Action

Lighter and more precise shifting action



Shimano IG Integrated drive train design for smoother shifting.



Roller Clutch Freehub Durable cam-and-roller clutch engages faster and freewheels silently



Dual SIS Precision indexed front and rear gear shifting



Top Swing Front Derailleur Compact low-friction design for easier chainwheel shifting



Easy-Set Front Derailleur

Mounts to bottom bracket for perfect alignment without adjustment.



HyperDrive-C Compact drive train reduces weight and increases ground clearance.




Cartridge Bottom Bracket One-piece cassette bearing design for fast and easy installation.





Anti-Vibration M-System Squeal suppressing all-weather braking performance.



Light Alloy Quick Release Reduces weight and eliminates rust




Parallax Hub Oversized hub body and heavy-duty spoke flanges for off-road durability



See page 44-45 for STX specifications.

- FC-MC34 and FC-MC34-B cranksets are also available with chain guard
- FD-MC34 front derailleur requires seat tube adapter

TY15-SERIES



TY05-SERIES



Series	Rear Derailleur	Front Derailleur	Shift Lever
Tourney30 (Dual SIS)	RD-TY30-7/RD-TY30 <ul style="list-style-type: none"> • 7-speed SIS/6-speed SIS • Max. Sprocket : 28T • Min. Sprocket : 14T • Total Capacity : 34T • Front Difference : 20T 	FD-TY32 <ul style="list-style-type: none"> • For Triple Chainrings • 22T Capacity • 48T Large Chainring 	ST-EF20/ST-EF25 <ul style="list-style-type: none"> • See page 45. SL-TY37 New <ul style="list-style-type: none"> • Rear 7-speed, Front 3-speed SIS SL-EF18R New /SL-EF19L New <ul style="list-style-type: none"> • SIS - 6-speed rear & front triple SL-TY31 <ul style="list-style-type: none"> • Rear 6-speed, Front 3-speed SIS
Tourney22	RD-TY22-7/RD-TY22-GS/RD-TY22-SS <ul style="list-style-type: none"> • 7-speed SIS/6-speed SIS(GS & SS) • Max. Sprocket : 28T • Min. Sprocket : 14T • Total Capacity : 34T(GS)/28T(SS) • Front Difference : 20T(GS)/13T(SS) 	FD-TY22-GS/FD-TY22-SS <ul style="list-style-type: none"> • For Triple Chainrings(FD-TY22-GS) • For Double Chainrings(FD-TY22-SS) • 22T Capacity(FD-TY22-GS) • 14T Capacity(FD-TY22-GS) • 48T Large Chainring 	SL-EF18 New <ul style="list-style-type: none"> • SIS - 6-speed rear & front triple, ratchet action SL-EF17 New <ul style="list-style-type: none"> • SIS - 6-speed rear & front triple, ratchet action
Tourney15	RD-TY15-GS/RD-TY15-SS <ul style="list-style-type: none"> • 5-speed SIS • Max. Sprocket : 28T • Min. Sprocket : 14T • Total Capacity : 34T(GS)/28T(SS) • Front Difference : 20T(GS)/13T(SS) 	FD-TY15-GS/FD-TY15-SS <ul style="list-style-type: none"> • For Triple Chainrings(FD-TY15-GS) • For Double Chainrings(FD-TY15-SS) • 22T Capacity(FD-TY15-GS) • 14T Capacity(FD-TY15-SS) • 48T Large Chainring 	SL-TY15 <ul style="list-style-type: none"> • Rear 5-speed SIS, Front Friction
Tourney05	RD-TY05 <ul style="list-style-type: none"> • 6-speed • Max. Sprocket : 28T • Min. Sprocket : 14T • Total Capacity : 34T • Front Difference : 20T 	FD-TY05 <ul style="list-style-type: none"> • For Triple Chainrings • 22T Capacity(FD-TY15-GS) 	SL-TY05 <ul style="list-style-type: none"> • Friction

*Shift Lever Choice : SL-TY22 Thumb shifter, SL-TY37-7 / TY-30L, SL-EF18 / EF17 EZ-fire plus, SL-TY22 Thumb shifter.

Series	Cantilever Brake	Crankset	Freewheel
Tourney30	BR-CT91-M BR-CT90-EL BR-TY23/BR-TY22 • M-System Compatible	FC-TY30 New /FC-TS21	CN-HG50 <ul style="list-style-type: none"> • HG chain MF-HG37 <ul style="list-style-type: none"> • 7-speed HG Sprockets • ax-group(14-16-18-20-22-24-28T) MF-HG22 <ul style="list-style-type: none"> • 6-speed HG Sprockets • Sprocket Combinations : X-group (14-16-18-20-22-24T) Y-group (14-16-18-21-24-28T) Z-group (14-17-20-24-28-32T)
Tourney22	BL-TY21	BB-TY30	CN-UG50 <ul style="list-style-type: none"> • HG chain MF-HG22 <ul style="list-style-type: none"> • 6-speed HG Sprockets • Sprocket Combinations : X-group (14-16-18-20-22-24T) Y-group (14-16-18-21-24-28T) Z-group (14-17-20-24-28-32T)
Tourney15		BB-TY30 <ul style="list-style-type: none"> • Marking : D-NL 122.5mm D-EL 127.5mm • Chain Line : 47.5mm • Shell Width : 68/70/73mm (D-NL) 68/73mm (D-EL) 	MF-Z015 <ul style="list-style-type: none"> • 5-speed UG Sprockets • Sprocket Combinations : Two Groups Available (14-17-19-21-24T/14-17-20-24-28T)
Tourney05			MF-Y006 <ul style="list-style-type: none"> • 6-speed UG Sprockets • Sprocket Combination : 14-15-17-20-24-28T



HB-M950

FH-M950

ST-M951

FC-M951

FD-M950

SL-SS95

BB-M950

CS-M950

BL-M950

SL-M951

BR-M950

RD-M951-GS

RD-M950-GS